

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America  
NEWS 2 "Ask CAS" for self-help around the clock  
NEWS 3 May 12 EXTEND option available in structure searching  
NEWS 4 May 12 Polymer links for the POLYLINK command completed in REGISTRY  
NEWS 5 May 27 New UPM (Update Code Maximum) field for more efficient patent SDIs in Caplus  
NEWS 6 May 27 Caplus super roles and document types searchable in REGISTRY  
NEWS 7 Jun 22 STN Patent Forums to be held July 19-22, 2004  
NEWS 8 Jun 28 Additional enzyme-catalyzed reactions added to CASREACT  
NEWS 9 Jun 28 ANTE, AQUALINE, BIOENG, CIVILENG, ENVIROENG, MECHENG, and WATER from CSA now available on STN(R)  
NEWS 10 Jul 12 BEILSTEIN enhanced with new display and select options, resulting in a closer connection to BABS

NEWS EXPRESS MARCH 31 CURRENT WINDOWS VERSION IS V7.00A, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 26 APRIL 2004  
NEWS HOURS STN Operating Hours Plus Help Desk Availability  
NEWS INTER General Internet Information  
NEWS LOGIN Welcome Banner and News Items  
NEWS PHONE Direct Dial and Telecommunication Network Access to STN  
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 20:33:43 ON 23 JUL 2004

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'CAPLUS' ENTERED AT 20:33:57 ON 23 JUL 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 23 Jul 2004 VOL 141 ISS 5

FILE LAST UPDATED: 22 Jul 2004 (20040722/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s fracturing fluid and polyacrylate

6493 FRACTURING  
356189 FLUID  
658 FRACTURING FLUID  
(FRACTURING(W) FLUID)  
20557 POLYACRYLATE

L1 7 FRACTURING FLUID AND POLYACRYLATE

=> d 11 1-7

L1 ANSWER 1 OF 7 CAPLUS COPYRIGHT 2004 ACS on STN

Full Citing  
Text References

AN 2003:490850 CAPLUS  
DN 139:55180  
TI Aqueous well treatment fluids, especially fracturing fluids, containing hydrophobically modified polymers and viscoelastic surfactants  
IN Couillet, Isabelle; Hughes, Trevor  
PA Schlumberger Holdings Limited, Virgin I. (Brit.)  
SO Brit. UK Pat. Appl., 43 pp.  
CODEN: BAXXDU

DT Patent  
LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	GB 2383355	A1	20030625	GB 2001-30880	20011222
	WO 2003056130	A1	20030710	WO 2002-GB5833	20021220
	W:		AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM		
	RW:		GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG		

PRAI GB 2001-30880 A 20011222

OS MARPAT 139:55180

RE.CNT 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L1 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2004 ACS on STN

Full Citing  
Text References

AN 2002:409282 CAPLUS  
DN 137:8438  
TI Well fracturing fluid with controlled viscosity containing initiators and encapsulated breakers for gelled polyacrylates  
IN Allan, Travis L.; Amin, Junad; Olson, Alan K.; Pierce, Ronald G.; Bobier, Dwight M.  
PA Can.  
SO U.S. Pat. Appl. Publ., 6 pp.  
CODEN: USXXCO

DT Patent  
LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2002065359	A1	20020530	US 2001-966750	20011001
PRAI	CA 2000-2322102	A	20001002		

L1 ANSWER 3 OF 7 CAPLUS COPYRIGHT 2004 ACS on STN

Full Text	Citing References
--------------	----------------------

AN 1993:563801 CAPLUS  
 DN 119:163801  
 TI Use of scale inhibitors in hydraulic fracture fluids to prevent scale build-up  
 IN Watkins, David R.; Clemens, Joseph J.; Smith, John C.; Sharma, Surinder N.; Edwards, Hetty G.  
 PA Union Oil Co., USA  
 SO U.S., 4 pp.  
 CODEN: USXXAM  
 DT Patent  
 LA English  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 5224543	A	19930706	US 1991-753200	19910830
PRAI	US 1991-753200		19910830		

L1 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2004 ACS on STN

Full Text	Citing References
--------------	----------------------

AN 1987:87424 CAPLUS  
 DN 106:87424  
 TI Stimulation of wells with carbon dioxide or nitrogen based fluids containing high proppant concentrations  
 IN Harris, Phillip C.; Reidenbach, Vincent G.; Chisholm, Pat T.  
 PA Halliburton Co., USA  
 SO U.S., 10 pp.  
 CODEN: USXXAM  
 DT Patent  
 LA English  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 4627495	A	19861209	US 1985-719669	19850404
	CA 1242389	A1	19880927	CA 1986-504672	19860320
PRAI	US 1985-719669		19850404		

L1 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2004 ACS on STN

Full Text	Citing References
--------------	----------------------

AN 1986:426907 CAPLUS  
 DN 105:26907  
 TI Substituted amino-alkyl sulfonic acid compounds and their use in the treatment of subterranean formations  
 IN Penny, Glenn S.  
 PA Halliburton Co., USA  
 SO U.S., 6 pp.  
 CODEN: USXXAM  
 DT Patent  
 LA English  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 4563291	A	19860107	US 1984-632770	19840720
	CA 1249712	A1	19890207	CA 1985-486051	19850628
	NO 8502676	A	19860121	NO 1985-2676	19850703
	AU 8545101	A1	19860123	AU 1985-45101	19850717
	AU 580613	B2	19890119		
	DK 8503307	A	19860121	DK 1985-3307	19850719
	EP 169074	A2	19860122	EP 1985-305157	19850719
	EP 169074	A3	19860625		
	R: AT, DE, FR, GB, IT, NL				
PRAI	US 1984-632770		19840720		

L1 ANSWER 6 OF 7 CAPLUS COPYRIGHT 2004 ACS on STN

Full Text	Citing References
--------------	----------------------

AN 1975:550145 CAPLUS  
 DN 83:150145  
 TI Fracturing subterranean formations without damaging the formation  
 IN Tinsley, John M.  
 PA Halliburton Co.  
 SO U.S., 3 pp.  
 CODEN: USXXAM  
 DT Patent  
 LA English  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 3845824	A	19741105	US 1973-373579	19730625
PRAI	US 1973-373579		19730625		

L1 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2004 ACS on STN

Full Text	Citing References
--------------	----------------------

AN 1967:78062 CAPLUS  
 DN 66:78062  
 TI Additives for reducing fluid loss from wells  
 IN Dill, Walter R.  
 PA Halliburton Co.  
 SO Fr., 7 pp.  
 CODEN: FRXXAK  
 DT Patent  
 LA French  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	FR 1452415		19660909		
	DE 1240010			DE	
	GB 1118155			GB	
PRAI	US		19641027		

=>

# Patent Search

## Abstracts

**Number(s): GB 1118155**

L2 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2004 ACS on STN

TI Additives for reducing fluid loss from wells

AB A mixt. of particles of a resin sol. in petroleum and a gum sol. in H<sub>2</sub>O constitutes an excellent additive for redn. of fluid loss from petroleum and gas wells. The appropriate resins include modified acrylics, polystyrene, terpenes, o- or p-substituted phenolics, alkyds, etc., of 0.149-0.044 mm. diam. and softening point >66.degree.. The gums include natural gums, such as karaya and guar, and synthetic gums or polymers, such as polyacrylamide, Na polyacrylate, polyethylene glycol, MeOCH:CH<sub>2</sub>-maleic anhydride, and urethane-polyethylene glycol copolymers. The gum and resin are preferably premixed in the ratio of 4:1 to 1:4 and used in amts. of 204-18 kg./1000-kg. well-treatment fluid (particularly acidification fluids).

=>

---

Click on the answers from a database to select display options.

**1 answer(s) found in CAPLUS**

**1 answer(s) found in WPIDS**

Click "Patent Search" to select other Patent Search tool options for the selected number(s).  
Click "Cancel" to return to your STN session.

Patent Search

Cancel

## Patent Search

### Abstracts

**Number(s): GB 1118155**

L3 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2004 ACS on STN

AB A mixt. of particles of a resin sol. in petroleum and a gum sol. in H<sub>2</sub>O constitutes an excellent additive for redn. of fluid loss from petroleum and gas wells. The appropriate resins include modified acrylics, polystyrene, terpenes, o- or p-substituted phenolics, alkyds, etc., of 0.149-0.044 mm. diam. and softening point >66.degree.. The gums include natural gums, such as karaya and guar, and synthetic gums or polymers, such as polyacrylamide, Na polyacrylate, polyethylene glycol, MeOCH:CH<sub>2</sub>-maleic anhydride, and urethane-polyethylene glycol copolymers. The gum and resin are preferably premixed in the ratio of 4:1 to 1:4 and used in amts. of 204-18 kg./1000-kg. well-treatment fluid (particularly acidification fluids).

=>

---

Click on the answers from a database to select display options.

**1 answer(s) found in CAPLUS**

**1 answer(s) found in WPIDS**

Click "Patent Search" to select other Patent Search tool options for the selected number(s).  
Click "Cancel" to return to your STN session.

Patent Search

Cancel